



ONAN® 16 HP TWIN-CYLINDER ENGINE

The most vibration-free, quietest engine in Sears history. Gear driven electric starter has no belts to wear out or replace, Reduced vibration means less wear and tear on engine, tractor...and driver!

SS/16 TWIN TRACTOR DIMENSIONS:

Wheel Base: 43%-In.
Over-all Length: 67%-In.
Over-all Height 40%-In.
Over-all Width: 36%-In.
Shipping Weight: 675 lbs.

SEARS SS/16 TWIN...a New Sound in Power, a New Feel in Performance

Our only tractor with an extra-quiet, extra smooth running twin-cylinder electric-starting engine. The heavy-duty steel frame and heavy box frame axle, plus large turf-saver tires help to make the SS/16 TWIN the smoothest riding tractor in Sears history. Extra large muffler plus twin-cylinder engine also make this our quietest tractor. This tractor handles Sears extra-wide 48 to 42-inch mowers, plus the complete range of Sears tractor attachments.

6 Forward, 2 Reverse Speed Transmission									
Speeds Forward	(MPH)	Speeds Reverse	(MPH)						
Low Range 1st Low Range 2nd Low Range 3rd	1.60 2.10	Low Range 7th High Range 8th	1.00 2.50						
High Range 4th High Range 5th High Range 6th	2.70 3.90 6.50								

See page 11 for complete listing of attachments



LARGE DIAMETER TIRES FOR A SMOOTH RIDE

Extra-wide, sure-grip turfsaver tires give maximum traction and pulling power, yet protect your lawn.

SS/16 TWIN . 23x9.50 Rear 16x6.50 Front ST/16 23x9.50 Rear 16x5.50 Front



HIGH-BACK PADDED SEAT FOR COMFORT

Both of these 16 HP Lawn and Garden Tractors have spring-mounted, deep-cushioned seats. SS/16 Twin has higher back for added comfort and support. The seats also adjust front and rear to suit the driver's comfort.



SEARS ALL-GEAR TRANSMISSION

Both of these 16 HP Lawn and Garden Tractors feature Sears rugged and smooth operating transmissions. 6 forward and 2 reverse speeds match the ground speed to the job and the attachment for maximum efficiency.

AUTO-TYPE STEERING AND CONTROL PANEL

Key-start ignition switch, ammeter, light switch, separate choke and throttle controls are in easy reach on the dash. New "Soft Touch" steering wheel plus auto-type steering system give superb handling and maneuverability.

High Performance 16-HP Overhead Valve Engine

Our first tractor with a high performance overhead valve engine. Develops greater horsepower than similar size conventional engines. Dyna-Static® counter-balancing system cuts vibration, gives smoother ride. New, extra large muffler is extra quieting. Heavy-duty steel frame with full foot rests and foot pads, heavy box frame axle and turf-saver tires make the ST/16 an easy riding tractor. This tractor also handles our complete range of attachments including 42 or 48-in. mowers.

6 Forward, 2 Reverse Speed Transmission									
Speeds Forward	(MPH)	Speeds Reverse	(MPH)						
Low Range 1st	.80	Low Range 7th	1.00						
Low Range 2nd	1.60	High Range 8th							
Low Range 3rd	2.10								
High Range 4th	2.70								
High Range 5th	3.90								
High Range 6th	6.50								

See page 11 for complete listing of attachments

NEW CRAFTSMAN 16 HP OHV ENGINE

The overhead valve design gives greater horsepower per cubic inch. Gear driven electric starter has no belts to wear out or replace. Counterbalancing system cuts vibration, gives smoother ride.

ST/16 TRACTOR **DIMENSIONS:**

Wheel Base: 437/16-in. Over-all Length: 67% 6-in. Over-all Height: 40-in. Over-all Width: 361/2-in. Shipping Weight: 670 lbs.



CRAFTSMAN ENGINE

This rugged, 12 HP Craftsman engine features convenient all gear electric start. Compression-release and dependable solid-state ignition give fast starts, even in cold weather.

ST/12 TRACTOR **DIMENSIONS:**

Wheel Base: 437/16-in. Over-all Length: 68½-in. Over-all Height: 40-in. 36½-in. Over-all Width: Shipping Weight: 625 lbs.

SEARS ST/12... as rugged as the jobs it performs every day

Our lowest priced, full-sized lawn and garden tractor that handles Sears complete range of attachments. The 12 HP Craftsman cast iron engine provides plenty of power to operate Sears extrawide 48 and 42-inch mowers. Heavy duty steel frame with extended padded foot rests. Wide turf-saver tires deliver real pulling power plus rider comfort. Autotype, ball-joint steering for handling ease.

Speeds Forward	(MPH)	Speeds Reverse	(MPH		
Low Range 1st	.80	Low Range 7th	1.00		
Low Range 2nd	1.60	High Range 8th			
Low Range 3rd	2.10				
High Range 4th	2.70				
High Range 5th	3.90				
High Range 6th					





LARGE DIAMETER TIRES FOR SMOOTH RIDE

Wide design, sure-grip turfsaver tires give maximum traction and pulling power, yet protect your lawn.

P	,	-	_	27	245,432
ST/12					.22.5x7.50 Rear
					16x5.50 Front
ST/10					. 22.5x7.50 Rear
					16x5.00 Front

HIGH BACK PADDED SEAT GIVES COMFORT

The ST/12 has a thickly-cushioned, spring-mounted seat with a comfortable back rest. The ST/10 has a cushioned, spring-mounted seat with a medium high back rest. Adjustable seats are designed for added comfort.





SEARS ALL-GEAR TRANSMISSION

Both the ST/12 and ST/10 tractors feature Sears rugged and smooth operating all-gear transmissions. 6 forward and 2 reverse speeds match the ground speed to the job and the attachment for maximum efficiency.

AUTO-TYPE STEERING AND CONTROL PANEL

Key-start ignition switch, light switch, separate choke and throttle controls are in easy reach on the dash. New "Soft Touch" steering wheel plus auto-type steering system. (Shown, ST/10 dash. ST/12 dash same as ST/16.)

cuts the big jobs down to size easily

Our lowest priced lawn and garden tractor handles most of Sears year 'round attachments. Also has many of the comfort features of our larger tractors. The ST/10 features an electric-start 10 HP cast-iron Craftsman engine. Uses Sears 38 inch gear-driven mower attachment. Turf-saver tires and auto-type steering provide easy handling and maneuverability, plus driver comfort.

6 Forward, 2 Reverse Speed Transmission									
Speeds Forward	(MPH)	Speeds Reverse	(MPH)						
Low Range 1st	.80	Low Range 7th	1.00						
Low Range 2nd		High Range 8th							
Low Range 3rd	2.10								
High Range 4th	2.70								
High Range 5th									
High Range 6th									

CRAFTSMAN 10 HP CAST-IRON ENGINE

Heavy-duty cast-iron 10 HP engine is specially adapted for this hard-working compact design lawn and garden tractor. Features electric start with solid-state ignition for quick, all-weather starting.

ST/10 TRACTOR **DIMENSIONS:**

Wheel Base: 43½-in. Over-all Length: 63-in 37-in. Over-all Height: 34-in. Over-all Width: Shipping Weight: 560 lbs.



...for the family who wants a great mowing machine!

SHORTCUT TO LEISURE THE ALL SEASON TRACTOR

If you want the convenience and riding comfort of a tractor, but don't need the added versatility of our large Lawn and Garden Tractors, Sears New 8 HP Lawn Tractor is for you. This rugged tractor is designed primarily for mowing and lawn care, but gives you much more than just a riding mower. The extra comfort and easy ride of large, fully pneumatic front and rear tires, a heavy steel tractor frame and auto type steering set the Lawn Tractor aside from ordinary mowing machines. Deep-cushioned, double-spring mounted seats add to the operator comfort. Wide 36-in. mowing attachment removes quickly and easily. A variety of pull-behind and snow removal attachments is also available. (See pg. 11 for the complete list of attachments).


The all new Lawn Tractor is available in your choice of manual or electric start. Both models feature a Briggs & Stratton 8 HP engine and rugged 3 forward, 1 reverse speed transmission to match the speed and power to the job. Before you buy a mowing machine, test drive the New Sears Lawn Tractor on your own yard. Compare it for riding comfort, maneuverability and steering ease, quality of cut, power, attachment versatility and overall performance. Dollar for dollar, you get more with Sears new, budget priced Lawn Tractor. 8 HP Lawn Tractor Dimensions . . . LT/8E (Electric Start): Wheel Base—42-in.; Length—59½-in.; Height—40-in.; Width—34-in.; Weight—350 lbs. LT/8 (Manual Start). Wheel Base—42-in.; Length 59½-in.; Heigth—40-in.; Width—33½-in.; Weight—325 lbs.





BRIGGS & STRATTON 8-HP ENGINES

Proven Kool-Bore® construction reduces engine heat. Rubber engine mountings absorb vibrations for longer life, smoother ride. Choice of manual or 12-volt electric start.



3 forward and 1 reverse all gear, direct drive transmission to handle a variety of attachments. Speeds forward: 1.8, 3.6 and 5.4 MPH. Reverse: 2.5 MPH.



AUTO-TYPE DASH AND STEERING

New "Soft-touch" steering wheel plus auto-type steering system for superb handling ease. Short turning radius gives outstanding maneuverability. Electric start dash shown.



PNEUMATIC TIRES GIVE EASY RIDE

Designed for pulling power, traction and comfort without damage to lawn.

LT/8E 18x8.50 Rear 15x6.00 Front

LT/8 16x6.50 Rear 13x5.00 Front

Sears wide assortment

...for complete mowing and lawn care ...

Sears mowing attachments meet all safety requirements of the Outdoor Power Equipment Institute. Sears mowing attachments are designed for maximum cutting efficiency. Clippings are discharged evenly through a deflector chute that deflects heavy objects to the ground.

For safety, tractor cannot be started while moving attachment or the tractor itself is in gear.

A. Two blade 36-in. mowing attachment for 8 HP Lawn Tractors. Flip-up deflector.

B. Two blade 38-inch mowing attachment for 10 HP tractors.

C. 42 and 48-inch three blade mowing attachments for 12 through 16 HP tractors.

Tractor attachments get the big jobs done faster


D. 36-inch Lawn Roller. For leveling frost heaves or for use in preparing new lawns. Fill with water to increase weight to 450 lbs. 18-in. diameter.

E. 36 and 48 inch Spreader-Seeders. Uniformly spread fertilizers, grass seed and soil conditioners. On-off control from tractor seat. Mechanical agitator.


F. 36-in. Lawn Aerator. Effectively provides hundreds of holes for soil aeration, better penetration of fertilizer and moisture. Has weight box.

G. Litter-Whisk® Sweeper. 36-in. adjustable brushes sweep grass clippings, leaves and twigs into hopper. Brushes powered by rear tractor wheels with friction drive. Dump load from tractor with pull cord.

H. Self-Powered Lawn Vacuum. Sucks grass clippings, twigs, leaves directly from mower discharge chute into covered carrier. Hand vacuum hose also available.



of tractor attachments



. . . for snow removal, grading, and bulk material handling

Yard care and gardening are easy with Sears tractor attachments. Snow removal is a breeze with snow throwers and dozer blades that save you time and work.

J. Powerful Snow Thrower Attachment. High-speed, ribbontype augers make quick work of snow removal from driveways, walks and parking areas. Screw-type discharge chute control adjusts right, left or forward from the driver's seat. Adjustable discharge deflector controls throwing distance. Available in 35 or 39-in. width. Winter cab, wheel weights and chains sold separately.

Tractor attachments that help you do those Big jobs

K. 42 and 46-inch Dozer Blades. For snow removal or grading of loose dirt or gravel. Heavy-steel blades with replaceable cutting edge. 17½-in. high blade can be angled from drivers seat.

L. Sickle Bar Mower. Designed for cutting large areas of tall grass or weeds. Cuts a 40-in. wide swath. For 12 to 16 HP Sears tractors.

M. Grader-Leveler. Ideal for leveling new yards and grading driveways. All-steel 42-in. wide blade is 9 inches high. Tilt and angle of blade can be adjusted. Available in both rear and center mount models.

N. All-Purpose Hydraulic-Loader. Use with 36-in. bucket, or manure tine fork. Rear weights required. Dual wheels recommended.

O. Steel Dump Cart. Available in 7, 10, 18-cu ft. sizes. For hauling soil, gravel, tools and more. Dumps to unload.













for cultivating and garden work

A. 8 and 10-inch Plows

Heavy steel, cuts up to 6 inches deep. Use 8-inch plow on smaller tractors, 10inch on 12-16 HP tractors. Wheel weights required.

B. 30-inch Disc Harrow

Two gangs of large 12-in. discs are placed 5 inches apart and can be angled in 3 different positions. Cut up trash, level and pulverize soil after plowing.

C. 40-inch Drag Harrow

Levels, pulverizes and breaks clods. Use after discing for smooth, fine seed beds. Teeth are spaced to give a cut every 2 in. Harrow adjusts from flat to vertical.

D. Adjustable Sweep Holder

Comes with 10-in, middle-buster shovel. Use to make planting furrows or hilling. 14-in. sweep and 5x8-in. corn shovel also available for weeding and furrowing.

E. Adjustable Cultivator


Cultivates rows 20 to 30 inches apart. Comes with five 6-in. sweeps or 2x8-in. double-point shovels. Hillers for hilling and weeding hoes also available.

F. 8 HP Roto Spader Attachment


Prepares seed beds and lets you work organic material into the soil. Slasher tines dig up to 51/2 inches deep and cut a 38-inch wide swath.

Other attachments for your lawn and garden tractor

- One-Operation Vegetable Planter. Opens furrow, drops and covers seeds, fertilizes in one fast operation.
- 5-foot Dump Rake. Bunches cut hay, tall grass and weeds. Rakes 60-in, wide strip with 16 spring steel teeth. 26-in. high.
- · Scraper-Scarifier. Use to move dirt, gravel, etc. for leveling. Scarifier teeth loosen hard packed material.
- 48-in Flail Mower. Mounts on front of tractor to cut and shred high weeds and grass. Ideal mower for large areas.
- 21/2-cubic foot Tote Box. Mounts on front tractor axle. Carry tools, sand, gravel, etc. Dumps to unload.



3 blade breaker bar-type shredder driven with tractor engine gives outstanding shredding capacity. Shred leaves, garden debris, tree trimmings. Eliminates need for burning. Leaf ramp and bagger attachment also available. Reduces bulk of organic material up to 90% for easy disposal or use as mulch or compost.



SHORTCUT TO **LEISURE**



SEASON **TRACTOR**



SS/16 Twin 16-HP No. 2575

ST/16

16-HP No. 2574



ST/12 12-HP No. 2573



ST/10 10-HP No. 2572



8-HP No. 2571



No. 2570

Attachments for Sears Lawn and Garden and Lawn Tractors

	SS/16 Twin	ST/16	ST/12	ST/10	LT/8E	LT/8	**	SS/16 Twin	ST/16	ST/12	ST/10	LT/8E	LT/8
48-in. Rotary Mower	X	X	X				Power Sprayer †	Х	X	X	x	X	х
42-in. Rotary Mower	х	X	X				Tote Box	Х	X	X	X		
38-in. Rotary Mower				X			Hauling Cart	X	X	х	х	X	х
36-in. Rotary Mower					X	X	Plow-Disc-Drag*	X	x	X	х		
40-in. Sickle Bar Mower	х	x	X				Sweep Holder* †	х	x	х	x		
Flail Mower†	Х	X	x				Cultivator*	X	X	X	х		
Lawn Vac†	х	x	X	X			Roto Spader*	X	X	x	х		
Lawn Cleaner †	х	x	X	X			Shredder Attachment	х	X	х			
Litter-Whisk® Sweeper†	х	X	X	X			Planter Attachment* †	х	X	х	х		
Pull-behind Sweeper†	Х	X	x	х	x	X	Roller	х	x	х	X	X	x
Snow Thrower	х	X	x	х	‡	‡	Aerator †	Х	х	х	X	x	x
Dozer Blade	X	X	X	X	‡	‡	Fertilizer Spreaders	х	x	x	X	X	x
Rear Grader Blade*	х	x	X	x			Dump Rake	х	x	х	х		
Center Mounted Blade	Х	x	х				Tractor Cab	х	X	х	X		
Hydraulic Loader†	х	X	X				3-Point Hitch	х	X	х	x		





ideas for better living...

Satisfaction Guaranteed or Your Money Back SEARS, ROEBUCK AND CO. SIMPSONS-SEARS LIMITED. CANADA